



# RACEWAY SYSTEMS

METAL AND NON-METALLIC RACEWAY FROM HUBBELL PREMISE WIRING ARE PACKED WITH FEATURES FOR THE SPECIFIER, INSTALLER AND USER. NEW FEATURES INCLUDE BEND RADIUS CORNERS AND FITTINGS THAT EXCEED THE AUGMENTED CATEGORY 6 CABLING REQUIREMENTS FOR COPPER AND FIBER APPLICATIONS. NEW BOXES ALLOW THE USE OF LONG AND DEEP FIBER, COAX, VOICE, VIDEO AND DATA OUTLET CONNECTORS.



NON-METALLIC RACEWAY  
 SINGLE CHANNEL • PREMISETRAK • STATION BOXES • CEILING FITTING • TEE CONNECTOR  
 SINGLE CHANNEL • EXTERNAL ELBOW • THREE CHANNEL • FACE PLATES • FLOORTRAK • INTERNAL FITTING  
 SINGLE CHANNEL • CONDUIT ADAPTER • LIGHT FIXTURE BOX • HBL750 • DOUBLE GANG  
 STATION BOX • BASETRAK • TUNNELS • HBL500 • WIRE FILL CAPACITIES • PASS-THROUGH  
 BOX • BASETRAK • TUNNELS • HBL500 • WIRE FILL CAPACITIES • PASS-THROUGH  
 PLATES • PREMISETRAK


SINGLE CHANNEL • PREMISETRAK • STATION BOXES • CEILING FITTING • TEE CONNECTOR  
 SINGLE CHANNEL • EXTERNAL ELBOW • THREE CHANNEL • FACE PLATES • FLOORTRAK • INTERNAL FITTING  
 SINGLE CHANNEL • CONDUIT ADAPTER • LIGHT FIXTURE BOX • HBL750 • DOUBLE GANG  
 STATION BOX • BASETRAK • TUNNELS • HBL500 • WIRE FILL CAPACITIES • PASS-THROUGH  
 BOX • BASETRAK • TUNNELS • HBL500 • WIRE FILL CAPACITIES • PASS-THROUGH  
 PLATES • PREMISETRAK

# RACEWAY CONTENTS



Product	Page
Metal Raceway Overview.....	J4
HBL500 and HBL750 Series Metal Raceway.....	J6
HBL2000 Series Metal Raceway.....	J8
HBL3000 Series Metal Raceway.....	J9
HBL4750 Series Metal Raceway.....	J10
HBL6750 Series Metal Raceway.....	J12
Metal Raceway Profiles - Quick Reference Guide .....	J14
Metal Raceway Wire Fill Capacities .....	J14
Non-Metallic Raceway Overview .....	J15
<b>PremiseTrak® (PT1) Surface Raceway.....</b>	<b>J16</b>
<b>PremiseTrak® (PP1) Surface Raceway.....</b>	<b>J17</b>
<b>LANTrak® (PL1) Surface Raceway .....</b>	<b>J18</b>
<b>WallTrak® (PW1) Surface Raceway .....</b>	<b>J19</b>
<b>WallTrak® (PW2) Surface Raceway .....</b>	<b>J20</b>
<b>BaseTrak® (PB2) Surface Raceway .....</b>	<b>J21</b>
<b>BaseTrak® (PB3) Surface Raceway .....</b>	<b>J22</b>
<b>Super BaseTrak® (PS3) Surface Raceway .....</b>	<b>J23</b>
Non-Metallic Selection Guide.....	J24
Face Plates and Accessories .....	J26
Non-Metallic Raceway Profiles.....	J27
Non-Metallic Raceway Wire Fill Capacities .....	J27
<b>FloorTrak® .....</b>	<b>J27</b>

## The Raceway Story



For well over a century, Hubbell Wiring Systems, including Wiring Device-Kellems and Hubbell Premise Wiring, has continued its tradition of pioneering innovative products and quality solutions for industrial, commercial and institutional applications.

In 1986, Hubbell's commitment to this tradition led to the introduction of **PolyTrak®**, a line of ground-breaking non-metallic surface raceway that was designed and developed to exceed every customer's expectations.

Listening to and understanding the needs of our customers gave rise to several unique **PolyTrak®** designs that meet virtually every raceway application. With products like **BaseTrak®**, **Super BaseTrak®**, **LANTrak®**, **WallTrak®**, and **PremiseTrak®**, customers can easily install the right raceway system to provide the proper capacity, bend radius and aesthetically pleasing design for any power, data and telecommunication cable distribution.

Hubbell's innovative tradition continues today with the introduction of a new line of Metal Raceway. Only Hubbell Wiring Systems could take a familiar, mature product like metal raceway and make it better. How did we do it? We listened to our customers.

Through extensive interviews, in-depth focus groups and state-of-the-art research and development, we have delivered an improved metal raceway product line with all the enhancements and flexibility customers asked for. Consider using features like the Hubbell Handi-Screw® and the Hubbell By-Pass divider along with rounded corners, single-seam box construction and enhanced datacom capabilities are just some of the elements we incorporated to benefit customers. With maximum functionality, vital capacity, unmatched quality and easy installation, never before has there been a metal raceway like this.

Listening to the customer and developing and implementing innovative products to meet their needs are the fundamental principles that make Hubbell Wiring Systems a respected leader in the electrical and data communications industry. These same principles are the driving force behind the expansion and enhancement of our comprehensive surface raceway product line. That's our story.

### HUBBELL Advantage

#### **Best in Class Products**

Industry leading datacom capacity and capabilities.

#### **Ease of Installation**

Hubbell Handi-Screw speeds installation through easy screw alignment.

#### **Application Solutions**

Flexibility to accommodate a wide range of power and datacom applications.

#### **Eco-Friendly Solutions**

Available in Pre-Wired versions minimizing packing materials and saving on site assembly time.



For more detailed information, go to:

[www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)

## Innovative Box Design

- Hubbell Handi-Screw® eliminates difficult to install long screws for easier installation.
- Rounded corners eliminate sharp edges.
- One seam construction provides "clean" look.
- Box design allows standard wall plates to be mounted flush with virtually no perimeter profile exposed.



## Enhanced Datacom Capabilities

- New HBL750 Series exclusive to Hubbell.
- Largest single channel, low-profile raceway available in its class.
- Ideal for datacom and oversized neutral applications.
- Allows up to five Category 5e, or three Category 6 cables.
- Available with 1½" bend radius fittings for high-speed Category 5e, 6 and 6A cables.



## Application Capacity and Flexibility

- HBL4750 Series exclusive to Hubbell.
- Flexible channel divider provides industry leading data capacity in the same profile with a 2/3 datacom split.
- 50/50 split available by utilizing standard divider and divider clips.
- Raceway channel can also be used with no divider for maximum cable fill in single service applications.



## Transition Fittings

- UL Classified for transition from Wiremold® Metal Surface Raceway to Hubbell Metal Raceway.
- Complete line of transition fittings for HBL500, HBL750, HBL2000, HBL3000, HBL4750, and HBL6750 Series Metal Raceway.



Wiremold® is a registered trademark of The Wiremold Company.

# HBL500 and HBL750 Series Single Channel Metal Raceway





For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)



HBL500	Base and Cover 10 ft.	Base and Cover 5 ft.
Ivory	<b>HBL50010IV</b>	<b>HBL5005IV</b>



HBL750	Base and Cover 10 ft.	Base and Cover 5 ft.
Ivory	<b>HBL75010IV</b>	<b>HBL7505IV</b>



## HBL500 and HBL750 Series Fittings



Raceway	Internal Elbow Ivory	External Elbow Ivory	Flat Elbow 90° Ivory	Flat Elbow 45° Ivory	Mounting Strap	Bushing	Connection Cover
<b>HBL500</b>	<b>HBL517IV</b>	<b>HBL518IV</b>	<b>HBL511IV</b>	<b>HBL512IV</b>	<b>HBL504IV</b>	<b>HBL502B</b>	<b>HBL506IV</b>
<b>HBL750</b>	<b>HBL717IV</b>	<b>HBL718IV</b>	<b>HBL711IV</b>	<b>HBL712IV</b>	<b>HBL704IV</b>	<b>HBL702B</b>	<b>HBL706IV</b>



Raceway	Internal Elbow 1 1/2" Bend Radius, Ivory	External Elbow 1 1/2" Bend Radius, Ivory	Flat Elbow 1 1/2" Bend Radius, Ivory	Tee Fitting 1 1/2" Bend Radius, Ivory	Tee Fitting Ivory
<b>HBL500 or HBL750</b>	<b>HBL5717BRIV</b>	<b>HBL5718BRIV</b>	<b>HBL5711BRIV</b>	<b>HBL5715BRIV</b>	<b>HBL5715IV</b>



Raceway	Internal Twisted Elbows For double turns at right angles, Ivory		Corner Box For connecting HBL500 or HBL750 Raceway from ceiling or corner, Ivory	Coupling Galvanized Steel	Support Clip Ivory	Transition Fitting* Wiremold® to Hubbell Ivory
	Right Elbow	Left Elbow				
<b>HBL500 or HBL750</b>	<b>HBL5711RHIV</b>	<b>HBL5711LHIV</b>	<b>HBL5719IV</b>	<b>HBL5701C</b>	<b>HBL5703IV</b>	<b>HBL500TFIV</b>
						<b>HBL750TFIV</b>



Raceway	Elbow Box Connector Right angles to boxes with 1/2" KO, Ivory	Elbow Conduit Connector Right angles to 1/2" conduit, Ivory	Combination 1/2" Connector No offsetting needed to 3/4" or 4" box, Ivory	Adjustable Offset Connector with 2 1/2" KOs, Ivory	Entrance Connector 3/4" KO and 3/4" Chase Nipple, Ivory
<b>HBL500 or HBL750</b>	<b>HBL5783IV</b>	<b>HBL5784IV</b>	<b>HBL5785IV</b>	<b>HBL5786IV</b>	<b>HBL5786AIV</b>

\* For transitioning from either Wiremold® V500 to Hubbell HBL500 Raceway or Wiremold® V700 to Hubbell HBL750 Raceway. Wiremold® is a registered trademark of The Wiremold Company.

**HBL500 and HBL750 Series Fittings**



Raceway	Flexible Section 18" long, Ivory	Box Connector		Conduit Connector		Grounding Clamp For 1/2" Conduit	Special Nipple For 1/2" Trade Size KOs
		1/2" Male	3/4" Male	1/2" Female	3/4" Female		
<b>HBL500 or HBL750</b>	<b>HBL5700FIV</b>	<b>HBL5781</b>	<b>HBL5781A</b>	<b>HBL5782C</b>	<b>HBL5782A</b>	<b>HBL5709GC</b>	<b>HBL5780</b>

**HBL500 and HBL750 Series Tools**



Raceway	Armored Cable Connector	Ground Clamp	EMT Connector 1/2"*
<b>HBL500 or HBL750</b>	<b>HBL5790B</b>	<b>HBL5709</b>	<b>HBL5791</b>

	HBL500	HBL750
<b>Cutter</b>	<b>HBL605CUT</b>	<b>HBL607CUT</b>
<b>Replacement Blade</b>	<b>HBL605K</b>	<b>HBL607K</b>
<b>Bender</b>	<b>HBL600B</b>	
<b>Touch-Up Pen, Ivory</b>	<b>HBLIWEP</b>	



**HBL500 and HBL750 Series Device Boxes\***

Color	Device Box 1.75" Deep					
	1-Gang	2-Gang	3-Gang	4-Gang	5-Gang	6-Gang
Ivory	<b>HBL5748IV</b>	<b>HBL57482IV</b>	<b>HBL57483IV</b>	<b>HBL57484IV</b>	<b>HBL57485IV</b>	<b>HBL57486IV</b>

Color	Shallow Device Box 1.38" Deep			Deep Device Box 2.25" Deep		
	1-Gang	2-Gang	3-Gang	1-Gang	2-Gang	3-Gang
Ivory	<b>HBL5747IV</b>	<b>HBL57472IV</b>	<b>HBL57473IV</b>	<b>HBL5744SIV</b>	<b>HBL5744S2IV</b>	<b>HBL5744S3IV</b>

Color	Extra Deep Device Box 2.75" Deep			Extension Box Open Base, 1.38" Deep			Extension Box Open Base 1.75" Deep 1-Gang
	1-Gang	2-Gang	3-Gang	1-Gang	2-Gang	3-Gang	
Ivory	<b>HBL5744IV</b>	<b>HBL57442IV</b>	<b>HBL57443IV</b>	<b>HBL5751IV</b>	<b>HBL57512IV</b>	<b>HBL57513IV</b>	<b>HBL5751AIV</b>

**HBL500 and HBL750 Series Round Extension and Fixture Boxes\***

Color	Round Extension Box Open Base			Round Fixture Box Solid Base			Blank Cover 1/2" Trade KO in Center**
	4.75" diameter	5.5" diameter	6.375" diameter	4.75" diameter	5.5" diameter	6.375" diameter	
Ivory	<b>HBL5737IV</b>	<b>HBL5737AIV</b>	<b>HBL5739AIV</b>	<b>HBL5738IV</b>	<b>HBL5738AIV</b>	<b>HBL5739IV</b>	<b>HBL5736IV</b>

Color	Outlet Box 3" diameter	Blank Cover For use with HBL5733IV	Color	Fanbox Fans up to 50 lbs.	Color	Round Fixture Box for Audible Alarms
	Ivory	<b>HBL5733IV</b>		<b>HBL5731IV</b>		Ivory

**HBL500 and HBL750 Series Specialty Boxes\***


Color	Device Box Low-Profile 1.13" Deep	Device Box 1/2" side KOs 1.75" Deep	Color	Blank Extension Box Open Base	Color	Utility Box 1/2" KO
	Ivory	<b>HBL5748SIV</b>		<b>HBL5745IV</b>		Ivory

Color	Alarm Device Box 1.38" Deep	Alarm Device Box Extra Deep 2.75"	Color	Distribution Box Mounting screw centers of 2.75", 3.5", 4.06"		
	Ivory	<b>HBL5752IV</b>		<b>HBL5753IV</b>	Ivory	<b>HBL5735IV</b>
	Red	<b>HBL5752R</b>		<b>HBL5753R</b>		

\* Use Catalog No. HBL5791 for connecting 1/2" EMT to all HBL5700 Series round and rectangular having a 1/2" trade size KO.

\*\* For use with HBL5735IV, HBL5737IV, HBL5737AIV, HBL5739AIV, HBL5738IV, HBL5738AIV and HBL5739IV.

## HBL2000 Series Metal Raceway



A: 1.31" (33.27)  
B: .83" (21.08)

Color	Base and Cover* 5 ft.
Ivory	<b>HBL2000BCIV</b>
Gray	<b>HBL2000BCGY</b>



Color	Cover 5 ft.	Base 5 ft.
Ivory	<b>HBL2000CIV</b>	<b>HBL2000B5IV</b>
Gray	<b>HBL2000CGY</b>	<b>HBL2000B5GY</b>

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)

\* Cover is .025" thick for up to 300V AC applications.

## HBL2000 Series Metal Raceway Fittings



Color	90° Flat Elbow	90° Flat Elbow 1 1/2" Bend Radius	Tee Fitting	Tee Fitting 1 1/2" Bend Radius	External Elbow Coupling	External Elbow 1 1/2" Bend Radius	Internal Elbow 1 1/2" Bend Radius
Ivory	<b>HBL2011IV</b>	<b>HBL2011BRIV</b>	<b>HBL2015IV</b>	<b>HBL2015BRIV</b>	<b>HBL2018CIV</b>	<b>HBL2018BRIV</b>	<b>HBL2017BRIV</b>
Gray	<b>HBL2011GY</b>	<b>HBL2011BRGY</b>	<b>HBL2015GY</b>	<b>HBL2015BRGY</b>	<b>HBL2018CGY</b>	<b>HBL2018BRGY</b>	<b>HBL2017BRGY</b>



Color	Blank End Fitting	Entrance End Fitting 1/2" KOs	Entrance End Fitting Large Capacity 1/2" and 3/4" KOs	Cover Clip to hide seams in cover	Flush Plate Adaptor	Transition Fitting Wiremold® to Hubbell
Ivory	<b>HBL2010BIV</b>	<b>HBL2010A2IV</b>	<b>HBL2010A3IV</b>	<b>HBL2006IV</b>	<b>HBL2051HIV</b>	<b>HBL2000TFIV</b>
Gray	<b>HBL2010BGY</b>	<b>HBL2010A2GY</b>	<b>HBL2010A3GY</b>	<b>HBL2006GY</b>	<b>HBL2051HGY</b>	<b>HBL2000TFGY</b>



Color	Side Reducing Connector to HBL500	End Reducing Connector to HBL500	Coupling Galvanized Steel	Internal Corner Coupling Galvanized Steel	Wire Clip Galvanized Steel	Support Clip Galvanized Steel	Ground Clamp
Ivory	<b>HBL2089IV</b>	<b>HBL2089EIV</b>	<b>HBL2001C</b>	<b>HBL2017TC</b>	<b>HBL2000WC</b>	<b>HBL2003SC</b>	<b>HBL2009GC</b>
Gray	-	-					

## HBL2000 Series Metal Raceway Boxes



Color	Device Box 1-Gang, 1.75" Deep	Device Box 2-Gang, 1.75" Deep
Ivory	<b>HBL2048IV</b>	<b>HBL20482IV</b>
Gray	<b>HBL2048GY</b>	<b>HBL20482GY</b>

## HBL2000 and HBL3000 Series Tools

HBL2000 Tools	Raceway Cutter	Cutter Replacement Blade Set
Catalog No.	<b>HBL620C</b>	<b>HBL620BCK</b>

HBL3000 Tools	Base Cutter	Replacement Base Cutter Blade Set	Cover Cutter	Replacement Cover Cutter Blade Set
Catalog No.	<b>HBL630B</b>	<b>HBL630BDK</b>	<b>HBL630C</b>	<b>HBL630CDK</b>

Color	Touch-Up Paint Pen
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>



Wiremold® is a registered trademark of The Wiremold Company.

# HBL3000 Series Metal Raceway

Available in **PRE-WIRED**




	Base 10 ft.	Cover 5 ft.	7.5" Precut Cover For mounting devices on 12" centers	19.5" Precut Cover For mounting devices on 24" centers
Color				
Ivory	<b>HBL3000BIV</b>	<b>HBL3000CEIV</b>	<b>HBL3000C075IV</b>	<b>HBL3000C195IV</b>
Gray	<b>HBL3000BGY</b>	<b>HBL3000CEGY</b>	<b>HBL3000C075GY</b>	<b>HBL3000C195IV</b>

## HBL3000 Metal Raceway Fittings



	90° Flat Elbow	Tee Fitting	External Corner Coupling	Internal Corner Coupling
Color				
Ivory	<b>HBL3011EIV</b>	<b>HBL3015EIV</b>	<b>HBL3018AEIV</b>	<b>HBL3017TCEIV</b>
Gray	<b>HBL3011EGY</b>	<b>HBL3015EGY</b>	<b>HBL3018AEGY</b>	<b>HBL3017TCEGY</b>



	Cover Clip to hide seams in covers	Entrance End Fitting 1/2" KOs	Large Capacity Entrance End Fitting 1/2", 3/4", 1" KOs	Blank End Fitting 1/2", 3/4" KOs	Wall Box Connector to connect to flush boxes	Panel Connector to connect to surface boxes	Reducer HBL3000 to HBL2000
Color							
Ivory	<b>HBL3006EIV</b>	<b>HBL3010AEIV</b>	<b>HBL3010CIV</b>	<b>HBL3010BIV</b>	<b>HBL3014CIV</b>	<b>HBL3086IV</b>	<b>HBL3200REDIV</b>
Gray	<b>HBL3006EGY</b>	<b>HBL3010AEGY</b>	<b>HBL3010CGY</b>	<b>HBL3010BGY</b>	<b>HBL3014CGY</b>	<b>HBL3086GY</b>	<b>HBL3200REDGY</b>



	Transition Fitting Wiremold® to Hubbell	Tap-Off 1/2" and 3/4" KOs and twist out	Support Clip to fasten raceway to wall	Wire Clip Galvanized Steel	Coupling Galvanized Steel	Heavy-Duty Coupling Galvanized Steel	1/2" Trade Size Conduit Connector
Color							
Ivory	<b>HBL3000TFIV</b>	<b>HBL3046H2IV</b>	<b>HBL3003IV</b>	<b>HBL3000WCGY</b>	<b>HBL3001GY</b>	<b>HBL3001AGY</b>	<b>HBL3082GY</b>
Gray	<b>HBL3000TFGY</b>	<b>HBL3046H2GY</b>	<b>HBL3003GY</b>				

## HBL3000 Device Bracket and Cover Plates



	Device Bracket for use with Standard Device Plates	Cover Plate Single Receptacle 1.39"	Cover Plate Single Receptacle 1.58"	Blank Cover Plate 1/2" KO in center	Switch Cover Plate	Cover Plate Duplex Opening
Color						
Ivory	<b>HBL3007CGY</b>	<b>HBL3027AEIV</b>	<b>HBL3033JEIV</b>	<b>HBL3036HEIV</b>	<b>HBL3040CEIV</b>	<b>HBL3043BEIV</b>
Gray		<b>HBL3027AEGY</b>	<b>HBL3033JEGY</b>	<b>HBL3036HEGY</b>	<b>HBL3040CEGY</b>	<b>HBL3043BEGY</b>



	Cover Plate and Brackets High Strain/Vibration Duplex Opening	Cover Plate Rectangular Decorator	Extension Cover for Shallow 30A and 50A Devices and Standard Device Plates
Color			
Ivory	<b>HBL3046BEIV</b>	<b>HBL3048RIV</b>	<b>HBL3051LEIV</b>
Gray	<b>HBL3046BEGY</b>	<b>HBL3048RGY</b>	<b>HBL3051LEGY</b>

## HBL3000 Metal Raceway Boxes



	Switch and Receptacle Box 2-Gang, 2.75" Deep	Utility Box Cover has twist-outs on all sides
Color		
Ivory	<b>HBL30442IV</b>	<b>HBL3028IV</b>
Gray	<b>HBL30442GY</b>	<b>HBL3028GY</b>


NOTE: All Cover Plates except HBL3046BE include HBL3007CGY Device Bracket.

Wiremold® is a registered trademark of The Wiremold Company.

NOTE: See page J8 for HBL3000 series Tools.

# HBL4750 Series Metal Raceway

Available in **PRE-WIRED**



Color	Base 10 ft.	Cover 5 ft.
Ivory	<b>HBL4750B10IV</b>	<b>HBL4750CIV</b>
Gray	<b>HBL4750B10GY</b>	<b>HBL4750CGY</b>

A: 4.75" (120.65)  
B: 1.75" (44.45)



Color	31.5" Precut Cover For mounting devices on 36" centers	19.5" Precut Cover For mounting devices on 24" centers	13.5" Precut Cover For mounting devices on 18" centers	7.5" Precut Cover For mounting devices on 12" centers
Ivory	<b>HBL4750C315IV</b>	<b>HBL4750C195IV</b>	<b>HBL4750C135IV</b>	<b>HBL4750C075IV</b>
Gray	<b>HBL4750C315GY</b>	<b>HBL4750C195GY</b>	<b>HBL4750C135GY</b>	<b>HBL4750C075GY</b>



	Divider 5 ft.	By-Pass Divider	Divider Clip use every 2.5 ft.	Coupling to couple together raceway	Wire Clip to hold conductors in place
Cat. No.	<b>HBL4750DGY</b>	<b>HBL4750BP</b>	<b>HBL4751DA</b>	<b>HBL4751AC</b>	<b>HBL4750WCGY</b>

## HBL4750 Metal Raceway Fittings



Color	Internal or External Elbow 45°	Internal Elbow Divided 1 1/4" Bend Radius	Internal Elbow Undivided	Internal Elbow Inverted Connects vertical run with horizontal run	Internal Corner Coupling	External Elbow Divided 1 1/4" Bend Radius
Ivory	<b>HBL4712TXIV</b>	<b>HBL4717DFOIV</b>	<b>HBL4717IV</b>	<b>HBL4717NIV</b>	<b>HBL4717TCAGY</b>	<b>HBL4718DFOIV</b>
Gray	<b>HBL4712TXGY</b>	<b>HBL4717DFOGY</b>	<b>HBL4717GY</b>	<b>HBL4717NGY</b>		<b>HBL4718DFOGY</b>



Color	External Elbow Undivided	Flat Elbow Divided 1 1/4" Bend Radius	Flat Elbow Undivided	Tee Fitting Divided 1 1/4" Bend Radius	Tee Fitting Undivided	Wall Box Connector for back feeding raceway
Ivory	<b>HBL4718IV</b>	<b>HBL4711DFOIV</b>	<b>HBL4711IV</b>	<b>HBL4715DFOIV</b>	<b>HBL4715IV</b>	<b>HBL4714AIV</b>
Gray	<b>HBL4718GY</b>	<b>HBL4711DFOGY</b>	<b>HBL4711GY</b>	<b>HBL4715DFOGY</b>	<b>HBL4715GY</b>	<b>HBL4714AGY</b>



Color	Blank End Fitting (2) 1/2" KOs	Entrance End Fitting Divided 1 1/4" Bend Radius, 3/4", 1, 1 1/4" KOs	Entrance End Fitting Undivided, 3/4", 1, 1 1/4" KOs	Take-Off Connector for connecting HBL4750 to HBL3000	Connection Cover to hide seams in cover	Panel Connector for connecting to surface type panel boxes
Ivory	<b>HBL4710BIV</b>	<b>HBL4710DFOIV</b>	<b>HBL4710IV</b>	<b>HBL4774AIV</b>	<b>HBL4756AIV</b>	<b>HBL4786AIV</b>
Gray	<b>HBL4710BGY</b>	<b>HBL4710DFOGY</b>	<b>HBL4710GY</b>	<b>HBL4774AGY</b>	<b>HBL4756AGY</b>	<b>HBL4786AGY</b>

**HBL4750 Series Metal Raceway Device Mounting Brackets**

**HBL4750 Specialty Fittings**



	<b>Device Mounting Bracket*</b> 2-Gang	<b>Vertical Mount Device Plate</b> Use 1-Gang Commercial Plate	<b>Vertical Mount Device Plate</b> Use 2-Gang Commercial Plate
Color			
Ivory	<b>HBL4750IV</b>	<b>HBL4747CVMIV</b>	<b>HBL4747CVM2IV</b>
Gray	<b>HBL4750GY</b>	<b>HBL4747CVMGY</b>	<b>HBL4747CVM2GY</b>

	<b>Transition Fitting**</b>	<b>Tap-Off Fitting</b> 2-Gang
Color		
Ivory	<b>HBL4750TFIV</b>	<b>HBL4746H2IV</b>
Gray	<b>HBL4750TFGY</b>	<b>HBL4746H2GY</b>

**Overlapping Cover Plates** (Includes Mounting Bracket)



Color	<b>2-Gang Device Cover Plates</b>					
	<b>Single Round Opening 1 Blank</b>	<b>1 Duplex Opening Opening 1 Blank</b>	<b>2 Duplex Openings</b>	<b>1 Duplex Opening 1 Modular Furniture</b> with 2 keystone twist-outs	<b>Single Round Opening 1 Blank</b>	<b>1 Decorator Opening 1 Blank</b>
Ivory	<b>HBL4747AXIV</b>	<b>HBL4747BXIV</b>	<b>HBL4747BBIV</b>	<b>HBL4747BFIV</b>	<b>HBL4747JXIV</b>	<b>HBL4747RXIV</b>
Gray	<b>HBL4747AXGY</b>	<b>HBL4747BXGY</b>	<b>HBL4747BBGY</b>	<b>HBL4747BFGY</b>	<b>HBL4747JXGY</b>	<b>HBL4747RXGY</b>



Color	<b>2-Gang Device Cover Plates</b>	
	<b>1 Decorator Opening 1 Modular Furniture</b> with 2 keystone twist-outs	<b>1 Duplex Opening 1 Decorator Opening</b>
Ivory	<b>HBL4747RFIV</b>	<b>HBL4747BRIV</b>
Gray	<b>HBL4747RFGY</b>	<b>HBL4747BRGY</b>

Color	<b>2-Gang Device Cover Plates</b>	
	<b>1-Gang Device Plate 1 Blank</b> use 1-Gang commercial plate	<b>2-Gang Device Plate</b> use 2-Gang commercial plate
Ivory	<b>HBL4747C1IV</b>	<b>HBL4747C2IV</b>
Gray	<b>HBL4747C1GY</b>	<b>HBL4747C2GY</b>



Color	<b>4-Gang Device Cover Plates</b>				
	<b>2 Decorator Openings 2 Blanks</b>	<b>2 Duplex Openings 2 Decorator Openings</b>	<b>4 Duplex Opening Openings</b>	<b>2 Duplex Openings 2 Modular Furniture</b> with 2 keystone twist-outs	<b>2 Duplex Openings 2 Blanks</b>
Ivory	<b>HBL47472RRXXIV</b>	<b>HBL47472BBRRIV</b>	<b>HBL47472BBBBIV</b>	<b>HBL47472BBFFIV</b>	<b>HBL47472BBXXIV</b>
Gray	<b>HBL47472RRXXGY</b>	<b>HBL47472BBRRGY</b>	<b>HBL47472BBBBGY</b>	<b>HBL47472BBFFGY</b>	<b>HBL47472BBXXGY</b>

**Cutters**



	<b>Base Cutter</b> for cutting base of HBL4750 Raceway	<b>Cover Cutter</b> for cutting cover of HBL4750 Raceway
Cutter	<b>HBL640B</b>	<b>HBL640C</b>
Replacement Blade	<b>HBL640BDK</b>	<b>HBL640CDK</b>

Color	<b>Touch-Up Paint Pen</b>
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>

\* Use 1-Gang KP plates shown on page J26.

\*\* For transitioning Wiremold® 4000 Raceway to Hubbell HBL4750 Raceway.

Wiremold® is a registered trademark of The Wiremold Company.

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)




# HBL6750 Series Metal Raceway

Available in  
**PRE-WIRED**



Color	Base 10 ft.	Cover 5 ft.
Ivory	<b>HBL6750B10IV</b>	<b>HBL6750CIV</b>
Gray	<b>HBL6750B10GY</b>	<b>HBL6750CGY</b>



A: 6.75" (171.45)  
B: 2.22" (56.39)



Color	31.5" Precut Cover For mounting devices on 36" centers	19.5" Precut Cover For mounting devices on 24" centers	13.5" Precut Cover For mounting devices on 18" centers	7.5" Precut Cover For mounting devices on 12" centers
Ivory	<b>HBL6750C315IV</b>	<b>HBL6750C195IV</b>	<b>HBL6750C135IV</b>	<b>HBL6750C075IV</b>
Gray	<b>HBL6750C315GY</b>	<b>HBL6750C195GY</b>	<b>HBL6750C135GY</b>	<b>HBL6750C075GY</b>



	Divider 5 ft.	Divider Clip Use every 2.5'	Wire Clip to hold conductors in place	Coupling to couple together raceway
Cat. No.	<b>HBL6750DAGY</b>	<b>HBL6751DAGY</b>	<b>HBL6750WCGY</b>	<b>HBL6751A</b>

## HBL6750 Series Metal Raceway Fittings



	Flat Elbow Divided 1 1/4" Bend Radius	Flat Elbow Undivided	Internal Elbow Divided 1 1/4" Bend Radius	Internal Elbow Undivided	Internal Corner Coupling (Galvanized Steel)	Inverted Internal Elbow Connect vertical run to horizontal run	Internal or External 45° Elbow
Color							
Ivory	<b>HBL6711DFOIV</b>	<b>HBL6711IV</b>	<b>HBL6717DFOIV</b>	<b>HBL6717IV</b>	<b>HBL6717TCAGY</b>	<b>HBL6717NIV</b>	<b>HBL6712TXIV</b>
Gray	<b>HBL6711DFOGY</b>	<b>HBL6711GY</b>	<b>HBL6717DFOGY</b>	<b>HBL6717GY</b>		<b>HBL6717NGY</b>	<b>HBL6712TXGY</b>



	External Elbow Divided 1 1/4" Bend Radius	External Elbow Undivided	Tee Fitting, Divided 1 1/4" Bend Radius	Tee Fitting Undivided	Connection Cover to hide seams in cover	Entrance End Fitting Divided 1 1/4" Bend Radius, 3/4", 1" and 1 1/4" KOs
Color						
Ivory	<b>HBL6718DFOIV</b>	<b>HBL6718IV</b>	<b>HBL6715DFOIV</b>	<b>HBL6715IV</b>	<b>HBL6756AIV</b>	<b>HBL6710DFOIV</b>
Gray	<b>HBL6718DFOGY</b>	<b>HBL6718GY</b>	<b>HBL6715DFOGY</b>	<b>HBL6715GY</b>	<b>HBL6756AGY</b>	<b>HBL6710DFOGY</b>



	Entrance End Fitting Undivided 3/4", 1" and 1 1/4" KOs	Blank End Fitting (3) 1/2" KOs	Wall Box Connector for back feeding raceway	90° Take-Off Connector to connect HBL6750 to HBL4750	Panel Connector for connecting to surface type panel	3-Gang Tap-Off Fitting (6) 1/2" and 3/4" KOs	Transition Fitting* Wiremold® to Hubbell
Color							
Ivory	<b>HBL6710IV</b>	<b>HBL6710BIV</b>	<b>HBL6714AIV</b>	<b>HBL6774AIV</b>	<b>HBL6786IV</b>	<b>HBL6746HHHIV</b>	<b>HBL6750TFIV</b>
Gray	<b>HBL6710GY</b>	<b>HBL6710BGY</b>	<b>HBL6714AGY</b>	<b>HBL6774AGY</b>	<b>HBL6786GY</b>	<b>HBL6746HHHGY</b>	<b>HBL6750TFGY</b>

\* For transitioning Wiremold® 6000 Raceway to Hubbell HBL6750 Raceway.  
Wiremold® is a registered trademark of The Wiremold Company.



**HBL6750 Series Mounting Bracket and Overlapping Cover Plates**



Color	3-Gang Device Cover Plates				
	Device Mounting Bracket*	1-Gang Device Opening 2 Blanks**	2-Gang Device Opening 1 Blank**	1 Single Round 1.39" Opening 2 Blanks	1 Duplex Opening 2 Blanks
Ivory	<b>HBL6750IV</b>	<b>HBL6747C1IV</b>	<b>HBL6747C2IV</b>	<b>HBL6747AXXIV</b>	<b>HBL6747BXXIV</b>
Gray	<b>HBL6750GY</b>	<b>HBL6747C1GY</b>	<b>HBL6747C2GY</b>	<b>HBL6747AXXGY</b>	<b>HBL6747BXXGY</b>



Color	3-Gang Device Cover Plates					
	3 Duplex Openings	2 Duplex Openings 1 Modular Furniture with 2 keystone twist-outs	1 Single Round 1.58" Opening 2 Blanks	1 Decorator Opening 2 Blanks	2 Decorator Openings, 1 Modular Furniture with 2 keystone twist-outs	1 Duplex Opening, 2 Decorator Openings
Ivory	<b>HBL6747BBBIV</b>	<b>HBL6747BBFIV</b>	<b>HBL6747JXXIV</b>	<b>HBL6747RXXIV</b>	<b>HBL6747RRFIV</b>	<b>HBL6747BRRIV</b>
Gray	<b>HBL6747BBBGY</b>	<b>HBL6747BBFGY</b>	<b>HBL6747JXXGY</b>	<b>HBL6747RXXGY</b>	<b>HBL6747RRFGY</b>	<b>HBL6747BRRGY</b>



Color	6-Gang Device Cover Plates				
	4 Decorator Openings 2 Blanks	6 Duplex Openings	4 Duplex Openings 2 Modular Furniture with 2 keystone twist-outs	4 Duplex Openings 2 Blanks	2 Duplex Openings 4 Decorator Openings
Ivory	<b>HBL67473RRRRXXIV</b>	<b>HBL67473BBBBIIV</b>	<b>HBL67473BBBFFIV</b>	<b>HBL67473BBBXXIV</b>	<b>HBL67473BBRRRIV</b>
Gray	<b>HBL67473RRRRXXGY</b>	<b>HBL67473BBBBIIGY</b>	<b>HBL67473BBBFFGY</b>	<b>HBL67473BBBXXGY</b>	<b>HBL67473BBRRRIGY</b>

**Cutters**



	Base Cutter for cutting base of HBL6750 Raceway	Cover Cutter for cutting cover of HBL6750 Raceway
Cutter	<b>HBL660B</b>	<b>HBL660C</b>
Replacement Blade	<b>HBL660BDK</b>	<b>HBL660CDK</b>

Color	Touch-Up Paint Pen
Ivory	<b>HBLIWEP</b>
Gray	<b>HBLGWEP</b>

\* Use 1-Gang KP plates shown on page J26.  
 \*\* Use with commercially available device plates (not included).

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)




# Hubbell Metal Raceway Raceway Profiles - Quick Reference Guide


\* Available in **PRE-WIRED**

Metal Raceway - Ivory or Gray in Color


**HBL500**




**HBL750**




**HBL2000**




**HBL3000\***



**HBL4750\***



**HBL6750\***



Notes: \* Available in PRE-WIRED.  
Channel Area in Square Inches (square centimeters).  
Dimensions in Inches (mm).

## Metal Raceway Wire Fill Capacities

Series	Channel Area (sq. in.)	Power (THHN/T90 Nylon)			Voice		Data (Copper Cables)					Data (Multimode Fiber Optic Cables)			
		14 AWG	12 AWG	10 AWG	4-Pair	25-Pair	Type RG59U	Cat. 5e	Cat. 6	Cat. 6A	Cat. 6 STP	(2) or (4) Fiber Round Cable	Fiber Optic Jumpers	Fiber Optic Zip Cord	
		Wire O.D. (in.)	Wire Area (sq. in.)	Wire Fill Capacity	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	
HBL500	0.22	7	5	3	3	1	2	3	2	1	1	3	8	3	
HBL750	0.40	12	9	5	6	1	3	5	3	2	2	6	15	6	
HBL2000	0.89	7	7	0	13	3	8	10	7	4	5	13	33	12	
HBL3000	3.70	152	111	70	52	11	32	43	30	15	22	52	136	51	
HBL4750	No Barriers	7.20	296	216	136	102	22	63	83	59	30	44	102	264	100
[A B]	Barrier Centered Ch. A	3.10	127	93	58	44	9	27	36	25	13	19	44	114	43
	Barrier Centered Ch. B	3.30	127	93	58	47	10	29	38	27	14	20	47	121	46
[A B]	Barrier Offset Ch. A	2.10	86	63	39	30	6	18	24	17	9	13	30	77	29
	Barrier Offset Ch. B	4.30	176	129	81	61	13	37	50	35	18	26	61	158	60
HBL6750	No Barriers	13.77	566	412	259	195	42	120	159	112	57	83	195	505	191
[A A A]	Barrier Offset Ch. A 1/3	4.59	189	138	86	65	14	40	53	37	19	28	65	168	64
[A B]	Barrier Offset Ch. B 2/3	9.18	379	278	173	130	28	80	106	75	38	56	130	337	128

Note: Pathway (Raceway) fill shall be 40% maximum.  
Raceway fittings and outlets/receptacles reduce the cross section of the raceway system, thus reducing overall cable fill capacity.

### Codes/Standards

TIA/EIA 569B  
UL Standard UL 5  
Listings E253976 /E253830 /E253833  
CSA Standard C22.2 no. 62  
Certification LR87514

### Physical Properties

Material Steel

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)



## Non-Metallic Raceway Complete Line of Raceway

### Features and Benefits

#### One Box, Three Systems

- Boxes have three cut-aways that can be utilized with **WallTrak®**, **LANTrak®** and **PremiseTrak®** (Latching) systems.
- Eliminates need to order three separate boxes and reducing inventory requirements.
- Boxes available in low, standard and deep profiles.
- Two-gang divided box available for power, data, voice, audio and video applications.
- Boxes utilize Hubbell KP plates or **iSTATION™** Modules and Bezels.



#### Flush or Full Capacity Boxes

- **Super BaseTrak®** and **BaseTrak®** Raceway offer multiple solutions for box installation.
- **Super BaseTrak®** in-line three-gang box allows maximum capacity in a flush design.
- **Super BaseTrak®** and **BaseTrak®** available in single, two and three-gang full capacity boxes.
- Two and three channel **BaseTrak®** (PB2 and PB3) available with one and two-gang in-line boxes.
- Full capacity in-line boxes eliminate the need to de-rate the wire fill capacity due to the intrusion of devices into the raceway channel.




#### Complete Line of Raceway

- **PolyTrak®** Non-Metallic Surface Raceway is a complete system with raceway, fittings, boxes and devices.
- Sizes range from single channel **PremiseTrak®** to three channel **Super BaseTrak®** for all types of surface raceway requirements.
- Single and two channel latching raceways are dual-rated for both power and data applications, reducing inventory requirements.
- UL Listed and CSA Certified to 600 volts.
- Office white color.



# PremiseTrak® (PT1) Single-Channel, Non-Metallic Raceway (Non-Latching)




A: .68" (17.27)  
B: .75" (19.05)


Color	<b>Base and Cover 5 ft.</b>	<b>Base and Cover 7 ft.</b>
Office White	<b>PT1BC5</b>	<b>PT1BC7</b>

Color	<b>Base and Cover with Adhesive Back 5 ft.</b>	<b>Base and Cover with Adhesive Back 7 ft.</b>
Office White	<b>PT1ABC5</b>	<b>PT1BC7</b>


## PT1 Non-Metallic Raceway Fittings and Device Boxes




Color	<b>Internal Elbow Cover Only</b>	Dimensions
Office White	<b>PT1IE</b>	A: 1.34" (34.04) B: 0.89" (22.61) C: 1.34" (34.04)




Color	<b>External Elbow Cover Only</b>	Dimensions
Office White	<b>PT1EE</b>	A: 1.24" (31.50) B: 0.88" (22.35) C: 1.24" (31.50)




Color	<b>Flat Elbow Cover Only</b>	Dimensions
Office White	<b>PT1FE</b>	A: 1.33" (33.78) B: 1.33" (33.78) C: 0.74" (18.80)




Color	<b>Tee Cover Only</b>	Dimensions
Office White	<b>PT1TC</b>	A: 1.77" (44.90) B: 1.33" (33.78) C: 0.74" (18.80)




Color	<b>Splice Cover</b>	Dimensions
Office White	<b>PT1SC</b>	A: 1.00" (25.40) B: 0.89" (22.61) C: 0.74" (18.80)




Color	<b>End Cap</b>	Dimensions
Office White	<b>PT1EC</b>	A: 0.88" (22.35) B: 0.74" (18.80) C: 0.89" (22.61)




Color	<b>Conduit Adapter/Ceiling Fitting</b>	Dimensions
Office White	<b>PT12CA</b>	A: 1.64" (41.66) B: 1.62" (41.15) C: 2.50" (63.50)




Color	<b>Low-Profile Box 1-Gang</b>	Dimensions
Office White	<b>PT12LPB</b>	A: 4.9" (124.46) B: 3.25" (82.55) C: 1.12" (28.45)




Color	<b>Standard Box* 1-Gang</b>	Dimensions
Office White	<b>PT12SBA</b>	A: 4.9" (124.46) B: 3.25" (82.55) C: 1.63" (41.4)



Color	<b>Deep Box* 1-Gang</b>	Dimensions
Office White	<b>PT12DBA</b>	A: 4.9" (124.46) B: 3.25" (82.55) C: 1.91" (48.51)



Color	<b>Deep Box* 2-Gang</b>	Dimensions
Office White	<b>PT12TGB*</b>	A: 4.9" (124.46) B: 5.06" (128.52) C: 1.91" (48.51)





Color	<b>Round Lighting Fixture Box</b>	Dimensions
Office White	<b>PT12LFB</b>	A: 5.31" (134.87) B: 1.04" (26.52)

\* See page J25 for recommended plate to box compatibility.

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)




# PremiseTrak® (PP1) Single-Channel, Non-Metallic Raceway (Latching)




Color	<b>Base and Cover 5 ft.</b>	<b>Base and Cover 7 ft.</b>
Office White	<b>PP1BC5</b>	<b>PP1BC7</b>
Color	<b>Base and Cover with Adhesive Back 5 ft.</b>	<b>Base and Cover with Adhesive Back 7 ft.</b>
Office White	<b>PP1ABC5</b>	<b>PP1ABC7</b>

## PP1 Non-Metallic Raceway Fittings and Device Boxes




Office White	<b>Internal Elbow</b>	Dimensions
Cover	<b>PP1IE</b>	A: 2.40" (60.96) B: 1.03" (26.16)
Base + Cover	<b>PP1IEBC</b>	C: 2.40" (60.96)




Office White	<b>External Elbow</b>	Dimensions
Cover	<b>PP1EE</b>	A: 4.47" (113.54) B: 1.03" (26.16)
Base + Cover	<b>PP1EEBC</b>	C: 4.47" (113.54)




Office White	<b>Flat Elbow</b>	Dimensions
Cover	<b>PP1FE</b>	A: 2.62" (66.55) B: 2.62" (66.55)
Base + Cover	<b>PP1FEBC</b>	C: 0.85" (21.59)




Office White	<b>Tee</b>	Dimensions
Cover	<b>PP1TC</b>	A: 4.22" (107.19) B: 2.62" (66.55)
Base + Cover	<b>PP1TCBC</b>	C: 0.85" (21.59)



Office White	<b>Conduit Adapter/ Ceiling Fitting</b>	Dimensions
Base + Cover	<b>PLP1CACF</b>	A: 2.29" (58.17) B: 3.31" (84.07) C: 3.90" (99.06)




Color	<b>Splice Cover</b>	Dimensions
Office White	<b>PP1SC</b>	A: 1.09" (27.69) B: 1.02" (25.91) C: 0.85" (21.59)




Color	<b>End Cap</b>	Dimensions
Office White	<b>PP1EC</b>	A: 1.00" (25.40) B: 0.84" (21.34) C: 0.77" (19.56)




Color	<b>Safety Strap</b>	Dimensions
Office White	<b>PP1SS</b>	A: 0.62" (15.75) B: 1.94" (49.28) C: 0.86" (21.84)




Color	<b>Low-Profile Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12LP</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.25" (31.75)




Color	<b>Standard Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12S</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.78" (45.21)



Color	<b>Deep Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12D</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 2.44" (61.98)



Color	<b>Deep Box* Divided 2-Gang</b>	Dimensions
Office White	<b>PDB12TGD</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)



Color	<b>Deep Box* Undivided 2-Gang</b>	Dimensions
Office White	<b>PDB12GLV</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)





Color	<b>Round Lighting Fixture Box*</b>	Dimensions
Office White	<b>PDB12LF</b>	A: 5.31" (134.87) B: 1.29" (32.77)

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)

\* See page J25 for recommended plate to box compatibility.




# LANTrak® (PL1) Single-Channel, Non-Metallic Raceway (Latching)




Color	<b>Base and Cover 5 ft.</b>	<b>Base and Cover 7 ft.</b>
Office White	<b>PL1BC5</b>	<b>PL1BC7</b>

Color	<b>Base and Cover with Adhesive Back 5 ft.</b>	<b>Base and Cover with Adhesive Back 7 ft.</b>
Office White	<b>PL1ABC5</b>	<b>PL1ABC7</b>

## PL1 Non-Metallic Raceway Fittings and Device Boxes




Office White	<b>Internal Elbow</b>	Dimensions
Cover	<b>PL1IE</b>	A: 2.51" (63.75) B: 1.57" (39.88)
Base + Cover	<b>PL1IEBC</b>	C: 2.51" (63.75)




Office White	<b>External Elbow</b>	Dimensions
Cover	<b>PL1EE</b>	A: 5.06" (128.52) B: 1.57" (39.88)
Base + Cover	<b>PL1EEBC</b>	C: 5.06" (128.52)




Office White	<b>Flat Elbow</b>	Dimensions
Cover	<b>PL1FE</b>	A: 3.19" (81.03) B: 3.19" (81.03)
Base + Cover	<b>PL1FEBC</b>	C: 1.11" (28.19)




Office White	<b>Tee</b>	Dimensions
Cover	<b>PL1TC</b>	A: 4.75" (120.65) B: 3.15" (80.01)
Base + Cover	<b>PL1TCBC</b>	C: 1.11" (28.19)



Office White	<b>Conduit Adapter/Ceiling Fitting</b>	Dimensions
Base + Cover	<b>PLP1CACF</b>	A: 2.29" (58.17) B: 3.31" (84.07) C: 3.90" (99.06)



Color	<b>Splice Cover</b>	Dimensions
Office White	<b>PL1SC</b>	A: 1.12" (28.45) B: 1.55" (39.37) C: 1.11" (28.19)




Color	<b>End Cap</b>	Dimensions
Office White	<b>PL1EC</b>	A: 1.00" (25.40) B: 1.39" (35.31) C: 1.04" (26.42)




Color	<b>Safety Strap</b>	Dimensions
Office White	<b>PL1SS</b>	A: 0.62" (15.75) B: 2.68" (68.07) C: 1.12" (28.45)




Color	<b>Low-Profile Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12LP</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.25" (31.75)




Color	<b>Standard Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12S</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.78" (45.21)



Color	<b>Deep Box* 1-Gang</b>	Dimensions
Office White	<b>PDB12D</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 2.44" (61.98)



Color	<b>Deep Box* Divided 2-Gang</b>	Dimensions
Office White	<b>PDB12TGD*</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)



Color	<b>Deep Box* Undivided 2-Gang</b>	Dimensions
Office White	<b>PDB12TGLV</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)





Color	<b>Round Lighting Fixture Box</b>	Dimensions
Office White	<b>PDB12LF</b>	A: 5.31" (134.87) B: 1.29" (32.77)

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)

\* See page J25 for recommended plate to box compatibility.

# WallTrak® (PW1) Single-Channel, Low-Profile , Non-Metallic Raceway (Latching)




A: .50" (12.70)  
B: 1.19" (30.23)


Color	Base and Cover 5 ft.	Base and Cover 7 ft.
Office White	<b>PW1BC5</b>	<b>PW1BC7</b>

Color	Base and Cover with Adhesive Back 5 ft.	Base and Cover with Adhesive Back 7 ft.
Office White	<b>PW1ABC5</b>	<b>PW1ABC7</b>


## PW1 Non-Metallic Raceway Fittings and Device Boxes




Office White	Internal Elbow	Dimensions
Cover only	<b>PW1IE</b>	A: 1.75" (44.45) B: 1.43" (36.32) C: 1.75" (44.45)




Office White	External Elbow	Dimensions
Cover only	<b>PW1EE</b>	A: 1.50" (38.10) B: 1.43" (36.32) C: 1.50" (38.10)




Office White	Flat Elbow	Dimensions
Cover only	<b>PW1FE</b>	A: 2.18" (55.37) B: 2.18" (55.37) C: .60" (15.24)




Office White	Tee	Dimensions
Cover only	<b>PW1TC</b>	A: 2.93" (74.42) B: 2.18" (55.37) C: .60" (15.24)




Office White	Conduit Adapter/ Ceiling Fitting	Dimensions
Base + Cover	<b>PW1CA</b>	A: 1.40" (35.56) B: 2.34" (59.44) C: 3.22" (81.79)




Office White	Splice Cover	Dimensions
Office White	<b>PW1SC</b>	A: 1.00" (25.40) B: 1.43" (36.32) C: .60" (15.24)




Office White	End Cap	Dimensions
Office White	<b>PW1EC</b>	A: 1.00" (25.40) B: 1.24" (31.50) C: .50" (12.70)




Office White	Low-Profile Box* 1-Gang	Dimensions
Office White	<b>PW1LPB</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.13" (28.70)




Office White	Standard Box* 1-Gang	Dimensions
Office White	<b>PW1SBA</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.63" (41.40)



Office White	Deep Box* 1-Gang	Dimensions
Office White	<b>PW1DBA</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.91" (48.51)



Office White	Deep Box* 2-Gang	Dimensions
Office White	<b>PW1TGB*</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 1.91" (48.51)




Office White	Round Lighting Fixture Box	Dimensions
Office White	<b>PW1LFB</b>	A: 5.31" (134.87) B: 1.04" (26.52)

\* See page J25 for recommended plate to box compatibility.

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)



# WallTrak® (PW2) Two-Channel, Non-Metallic Raceway (Latching)




A: 1.04" (26.42)  
B: 2.12" (53.85)


Color	Base and Cover, 5 ft.	Base and Cover, 7 ft.
Office White	<b>PW2BC5</b>	<b>PW2BC7</b>

Color	Base and Cover with Adhesive Back, 5 ft.	Base and Cover with Adhesive Back, 7 ft.
Office White	<b>PW2ABC5</b>	<b>PW2ABC7</b>

## PW2 Non-Metallic Raceway Fittings and Device Boxes



Office White	Internal Elbow	Dimensions
Cover	<b>PW2IE</b>	A: 2.83" (71.88) B: 2.32" (58.93)
Base + Cover	<b>PW2IEBC</b>	C: 2.83" (71.88)




Office White	External Elbow	Dimensions
Cover	<b>PW2EE</b>	A: 5.00" (127.00) B: 2.32" (58.93)
Base + Cover	<b>PW2EEBC</b>	C: 5.00" (127.00)



Office White	Flat Elbow	Dimensions
Cover	<b>PW2FE</b>	A: 3.94" (100.08) B: 3.94" (100.08)
Base + Cover	<b>PW2FEBC</b>	C: 1.11" (28.19)




Office White	Tee	Dimensions
Cover	<b>PW2TC</b>	A: 5.42" (137.67) B: 3.91" (99.31)
Base + Cover	<b>PW2TCBC</b>	C: 1.90" (48.26)




Office White	Conduit Adapter/ Ceiling Fitting	Dimensions
Base + Cover	<b>PW2CACF</b>	A: 4.18" (106.17) B: 3.32" (84.33) C: 4.20" (106.68)



Office White	Reducer (from PW2 to PP1)	Dimensions
Base + Cover	<b>PW2RED</b>	A: 1.62" (41.15) B: 2.40" (60.96) C: 1.15" (29.21)



Color	Splice Cover	Dimensions
Office White	<b>PW2SC</b>	A: 1.11" (28.19) B: 2.30" (58.42) C: 1.11" (28.19)



Color	Safety Strap	Dimensions
Office White	<b>PW2SS</b>	A: 0.62" (15.75) B: 3.43" (87.12) C: 1.12" (28.45)



Color	End Cap	Dimensions
Office White	<b>PW2EC</b>	A: 1.00" (25.40) B: 2.14" (54.36) C: 1.04" (26.42)




Color	Low-Profile Box* 1-Gang	Dimensions
Office White	<b>PDB12LP</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.25" (31.75)




Color	Standard Box* 1-Gang	Dimensions
Office White	<b>PDB12S</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 1.78" (45.21)



Color	Deep Box* 1-Gang	Dimensions
Office White	<b>PDB12D</b>	A: 4.90" (124.46) B: 3.25" (82.55) C: 2.44" (61.98)



Color	Deep Box*, Divided 2-Gang	Dimensions
Office White	<b>PDB12TGD</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)
Divider**, 2-Gang	<b>PDB2DIV</b>	





Color	Deep Box* Undivided 2-Gang	Dimensions
Office White	<b>PDB12TGLV</b>	A: 4.90" (124.46) B: 5.06" (128.52) C: 2.44" (61.98)



Color	Round Lighting Fixture Box	Dimensions
Office White	<b>PDB12LF</b>	A: 5.31" (134.87) B: 1.29" (32.77)

\* See page J25 for recommended plate to box compatibility.  
\*\* Order separately to divide box.

# BaseTrak® (PB2) Two-Channel, Non-Metallic Raceway (Non-Latching)



Color	Base, 5 ft.	Base, 10 ft.
Office White	<b>PB2B5</b>	<b>PB2B10</b>



Color	Dual Channel Cover	
Office White	5 ft.	<b>PB2C5</b>
	10 ft.	<b>PB2C10</b>



## PB2 Non-Metallic Raceway Fittings and Device Boxes




Office White	Single Channel Cover	Dimensions
5 ft.	<b>PB2SPL5</b>	B: 2.22" (56.39)
10 ft.	<b>PB2SPL10</b>	



Office White	Internal Elbow	Dimensions
Base + Cover	<b>PB3IEBCA</b>	A: 4.36" (110.74)
		B: 4.72" (119.89)
		C: 4.36" (110.74)



Office White	External Elbow	Dimensions
Base + Cover	<b>PB3EEBCA</b>	A: 6.48 (164.59)
		B: 4.72 (119.89)
		C: 6.48 (164.59)



Office White	Flat Elbow	Dimensions
Base + Cover	<b>PB3FEBCA</b>	A: 7.64" (194.66)
		B: 7.64" (194.66)
		C: 1.71" (43.43)




Office White	Tee	Dimensions
Base + Cover	<b>PB3TCBCA</b>	A: 7.37" (187.20)
		B: 7.08" (179.83)
		C: 2.72" (69.09)



Office White	Conduit Adapter/ Ceiling Fitting	Dimensions
Base + Cover	<b>PB2CACF</b>	A: 4.72" (119.89)
		B: 5.22" (132.70)
		C: 6.30" (160.02)




Office White	Reducer (from PB2 to PW2)	Dimensions
Base + Cover	<b>PB3REDA</b>	A: 3.50" (88.90)
		B: 4.72" (119.89)
		C: 1.73" (43.94)



Office White	Transition Fitting (from PB2 to PW2, PL1, or PP1)	Dimensions
Base + Cover	<b>PB3TRBC</b>	A: 3.22" (81.79)
		B: 7.28" (184.91)
		C: 2.42" (61.47)




Office White	Surface Panel Connector	Dimensions
Base + Cover	<b>PB3SPCA</b>	A: 2.22" (56.39)
		B: 5.66" (143.76)
		C: 1.60" (40.64)



Color	Splice Cover	Dimensions
Office White	<b>PB3SC</b>	A: 1.56" (39.62)
		B: 4.74" (120.40)
		C: 1.69" (42.93)



Color	Safety Strap	Dimensions
Office White	<b>PB3SS</b>	A: 1.50" (38.10)
		B: 6.01" (152.65)
		C: 1.74" (44.20)



Color	End Cap	Dimensions
Office White	<b>PB3ECA</b>	A: 2.02" (51.31)
		B: 4.68" (118.97)
		C: 1.72" (43.69)



Color	Inline Box* 2-Gang	Dimensions
Office White	<b>PB2IND2G</b>	A: 7.66" (194.56)
		B: 4.74" (120.40)
		C: 1.84" (46.74)





Color	Wire Clip
Office White	<b>PB2WC</b>



For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)

\* See page J25 for recommended plate to box compatibility.

# BaseTrak® (PB3) Three-Channel, Non-Metallic Raceway (Non-Latching)




A: 1.63" (41.40)  
B: 4.50" (114.30)

Color	Base and Cover 5 ft.	Base and Cover 10 ft.
Office White	<b>PB3BC5</b>	<b>PB3BC10</b>


Available in **PRE-WIRED**

Color	Safety Strap	Dimensions	Splice Cover	Dimensions	Wire Clip
Office White	<b>PB3SS</b>	A: 1.50" (38.10) B: 6.01" (152.65) C: 1.74" (44.20)	<b>PB3SC</b>	A: 1.56" (39.62) B: 4.74" (120.40) C: 1.69" (42.93)	<b>PB3WC</b>


## PB3 Non-Metallic Raceway Fittings




Office White	Internal Elbow	Dimensions
Cover	<b>PB3IE</b>	A: 4.36" (110.74) B: 4.72" (119.89)
Base + Cover	<b>PB3IEBCA</b>	C: 4.36" (110.74)




Office White	External Elbow	Dimensions
Cover	<b>PB3EE</b>	A: 6.48" (164.59) B: 4.72" (119.89)
Base + Cover	<b>PB3EEBCA</b>	C: 6.48" (164.59)




Office White	Flat Elbow	Dimensions
Cover	<b>PB3FE</b>	A: 7.64" (194.66) B: 7.64" (194.66)
Base + Cover	<b>PB3FEBCA</b>	C: 1.71" (43.43)




Office White	Tee	Dimensions
Base + Cover	<b>PB3TCBCA</b>	A: 7.37" (187.20) B: 7.08" (179.83) C: 2.72" (69.09)




Office White	Conduit Adapter/ Ceiling Fitting	Dimensions
Base + Cover	<b>PB3CACF</b>	A: 4.72" (119.89) B: 5.22" (132.70) C: 6.30" (160.02)




Office White	Reducer (from PB3 to PW2)	Dimensions
Base + Cover	<b>PB3REDA</b>	A: 3.50" (88.90) B: 4.72" (119.89) C: 1.73" (43.94)




Office White	Transition Fitting (from PB3 to PW2, PL1, or PP1)	Dimensions
Base + Cover	<b>PB3TRBC</b>	A: 3.22" (81.79) B: 7.28" (184.91) C: 2.42" (61.47)




Color	Transition Fitting (from BT3 old style to PB3 new style)	Dimensions
Office White	<b>BTPB3TF</b>	A: 2.22" (56.39) B: 5.66" (143.76) C: 1.35" (34.29)




Color	Surface Panel Connector	Dimensions
Office White	<b>PB3SPCA</b>	A: 2.22" (56.39) B: 5.66" (143.76) C: 1.60" (40.64)




Color	End Cap	Dimensions
Office White	<b>PB3ECA</b>	A: 2.02" (51.31) B: 4.68" (118.97) C: 1.72" (43.69)




Office White	Inline Box* 1-Gang	Dimensions
Base + Cover	<b>PB3IND</b>	A: 7.70" (195.58) B: 4.84" (122.94) C: 2.02" (51.31)




Office White	Inline Box* 2-Gang	Dimensions
Base + Cover	<b>PB3IND2G</b>	A: 7.00" (177.80) B: 4.75" (120.65) C: 3.22" (81.78)



Office White	Full Capacity Box* 1-Gang	Dimensions
Base + Cover	<b>PB3FCIB</b>	A: 4.38" (111.25) B: 4.80" (121.92) C: 3.17" (80.52)




Office White	Full Capacity Box* 2-Gang	Dimensions
Base + Cover	<b>PB3FCIB2G</b>	A: 7.20" (182.88) B: 4.80" (121.92) C: 3.17" (80.52)



Office White	Full Capacity Box* 3-Gang	Dimensions
Base + Cover	<b>PB3FCIB3G</b>	A: 9.96" (252.98) B: 4.80" (121.92) C: 3.17" (80.52)

\* See page J25 for recommended plate to box compatibility.

# Super BaseTrak® (PS3) Three-Channel, Non-Metallic Raceway (Non-Latching)



A: 1.97" (50.04)  
B: 6.70" (170.18)


Color	<b>Base and Cover 5 ft.</b>	<b>Base and Cover 10 ft.</b>
Office White	<b>PS3BC5</b>	<b>PS3BC10</b>

Available in **PRE-WIRED**




Color	Safety Strap	Dimensions	Splice Cover	Dimensions	Wire Clip
Office White	<b>PS3SS</b>	A: 1.50" (38.10) B: 8.24" (209.30) C: 2.08" (52.85)	<b>PS3SC</b>	A: 1.56" (39.62) B: 6.95" (176.53) C: 2.03" (51.62)	<b>PS3WC</b>


## PS3 Non-Metallic Raceway Fittings and Device Boxes



Office White	<b>Internal Elbow</b>	Dimensions
Cover	<b>PS3IE</b>	A: 4.36" (110.74) B: 6.93" (176.02)
Base + Cover	<b>PS3IEBC</b>	C: 4.36" (110.74)



Office White	<b>External Elbow</b>	Dimensions
Cover	<b>PS3EE</b>	A: 6.81" (172.97) B: 6.93" (176.02)
Base + Cover	<b>PS3EEBC</b>	C: 6.81" (172.97)



Office White	<b>Flat Elbow</b>	Dimensions
Cover	<b>PS3FE</b>	A: 9.85" (250.19) B: 9.85" (250.19)
Base + Cover	<b>PS3FEBC</b>	C: 2.08" (52.83)




Office White	<b>Tee</b>	Dimensions
Base + Cover	<b>PS3TCBC</b>	A: 10.00" (254) B: 9.68" (245.87) C: 3.30" (83.82)



Office White	<b>Conduit Adapter/ Ceiling Fitting</b>	Dimensions
Base + Cover	<b>PS3CACF</b>	A: 6.93" (176.02) B: 4.32" (109.73) C: 6.29" (159.77)



Office White	<b>Reducer (from PS3 to PB3)</b>	Dimensions
Base + Cover	<b>PS3RED</b>	A: 4.81" (122.17) B: 6.93" (176.02) C: 2.05" (52.07)



Color	<b>Surface Panel Connector</b>	Dimensions
Office White	<b>PS3SPC</b>	A: 1.00" (25.40) B: 7.87" (199.90) C: 2.54" (64.52)



Color	<b>End Cap</b>	Dimensions
Office White	<b>PS3EC</b>	A: 1.50" (38.10) B: 6.88" (174.75) C: 2.06" (52.32)



Office White	<b>Inline Box* 3-Gang</b>	Dimensions
Base + Cover	<b>PS3IND</b>	A: 7.00" (177.80) B: 6.95" (176.53) C: 2.28" (57.91)



Office White	<b>Full Capacity Box* 1-Gang</b>	Dimensions
Base + Cover	<b>PS3FCIB</b>	A: 4.38" (111.25) B: 6.95" (176.53) C: 3.46" (87.88)



Office White	<b>Full Capacity Box* 2-Gang</b>	Dimensions
Base + Cover	<b>PS3FCIB2G</b>	A: 7.20" (182.88) B: 6.95" (176.53) C: 3.46" (87.88)



Office White	<b>Full Capacity Box* 3-Gang</b>	Dimensions
Base + Cover	<b>PS3FCIB3G</b>	A: 9.96" (252.98) B: 6.95" (176.53) C: 3.46" (87.88)

\* See page J25 for recommended plate to box compatibility.

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)





Raceway	PremiseTrak®		LANTrak®	WallTrak®		BaseTrak®		Super BaseTrak®
Raceway Style	Non-Latching	Latching	Latching	Latching	Latching	2-Piece	2-Piece	2-Piece
Profile Dimensions	.75" x .68"	.84" x .77"	1.38" x 1.04"	1.19" x .5"	2.12" x 1.04"	4.5" x 1.63"	4.5" x 1.63"	6.7" x 1.97"
No. of Channels	1	1	1	1	2	2	3	3
5' Base and Cover	<b>PT1BC5</b>	<b>PP1BC5</b>	<b>PL1BC5</b>	<b>PW1BC5</b>	<b>PW2BC5</b>			
5' Base and Cover, Adhesive	<b>PT1ABC5</b>	<b>PP1ABC5</b>	<b>PL1ABC5</b>	<b>PW1ABC5</b>	<b>PW2ABC5</b>			
7' Base and Cover	<b>PT1BC7</b>	<b>PP1BC7</b>	<b>PL1BC7</b>	<b>PW1BC7</b>	<b>PW2BC7</b>			
7' Base and Cover, Adhesive	<b>PT1ABC7</b>	<b>PP1ABC7</b>	<b>PL1ABC7</b>	<b>PW1ABC7</b>	<b>PW2ABC7</b>			
5' Base only						<b>PB2B5</b>		
10' Base only						<b>PB2B10</b>		
5' One-piece Cover						<b>PB2C5</b>		
10' One-piece Cover						<b>PB2C10</b>		
5' Split Cover						<b>PB2SPL5</b>		
10' Split Cover						<b>PB2SPL10</b>		
5' Base and Cover							<b>PB3BC5</b>	<b>PS3BC5</b>
10' Base and Cover							<b>PB3BC10</b>	<b>PS3BC10</b>
Fittings	PremiseTrak®		LANTrak®	WallTrak®		BaseTrak®		Super BaseTrak®
Flat Elbow Cover	<b>PT1FE</b>	<b>PP1FE</b>	<b>PL1FE</b>	<b>PW1FE</b>	<b>PW2FE</b>		<b>PB3FE</b>	<b>PS3FE</b>
Flat Elbow*		<b>PP1FEBC</b>	<b>PL1FEBC</b>		<b>PW2FEBC</b>	<b>PB3FEBCA</b>	<b>PB3FEBCA</b>	<b>PS3FEBC</b>
Internal Elbow Cover	<b>PT1IE</b>	<b>PP1IE</b>	<b>PL1IE</b>	<b>PW1IE</b>	<b>PW2IE</b>		<b>PB3IE</b>	<b>PS3IE</b>
Internal Elbow*		<b>PP1IEBC</b>	<b>PL1IEBC</b>		<b>PW2IEBC</b>	<b>PB3IEBCA</b>	<b>PB3IEBCA</b>	<b>PS3IEBC</b>
External Elbow Cover	<b>PT1EE</b>	<b>PP1EE</b>	<b>PL1EE</b>	<b>PW1EE</b>	<b>PW2EE</b>		<b>PB3EE</b>	<b>PS3EE</b>
External Elbow*		<b>PP1EEBC</b>	<b>PL1EEBC</b>		<b>PW2EEBC</b>	<b>PB3EEBCA</b>	<b>PB3EEBCA</b>	<b>PS3EEBC</b>
Tee Cover	<b>PT1TC</b>	<b>PP1TC</b>	<b>PL1TC</b>	<b>PW1TC</b>	<b>PW2TC</b>			
Tee Cover*	<b>PT1SC</b>	<b>PP1TCBC</b>	<b>PL1TCBC</b>		<b>PW2TCBC</b>	<b>PB3TCBCA</b>	<b>PB3TCBCA</b>	<b>PS3TCBC</b>
Splice Cover		<b>PP1SC</b>	<b>PL1SC</b>	<b>PW1SC</b>	<b>PW2SC</b>	<b>PB3SC</b>	<b>PB3SC</b>	<b>PS3SC</b>
Security Strap, 2-hole		<b>PP1SS</b>	<b>PL1SS</b>		<b>PW2SS</b>	<b>PB3SS</b>	<b>PB3SS</b>	<b>PS3SS</b>
End Cap	<b>PT1EC</b>	<b>PP1EC</b>	<b>PL1EC</b>	<b>PW1EC</b>	<b>PW2EC</b>	<b>PB3ECA</b>	<b>PB3ECA</b>	<b>PS3EC</b>
Conduit Adapter/ Ceiling Fitting	<b>PT12CA</b>	<b>PLP1CACF</b>	<b>PLP1CACF</b>	<b>PW1CA</b>	<b>PW2CACF</b>	<b>PB2CACF</b>	<b>PB3CACF</b>	<b>PS3CACF</b>
Wire Clips						<b>PB2WC</b>	<b>PB3WC</b>	<b>PS3WC</b>
Surface Panel Connector						<b>PB3SPCA</b>	<b>PB3SPCA</b>	<b>PS3SPC</b>
Transition Fitting (BaseTrak to Wall/ LAN/PremiseTrak)						<b>PB3TRBC</b>	<b>PB3TRBC</b>	
Reducers					<b>PW2RED</b>	<b>PB3REDA</b>	<b>PB3REDA</b>	<b>PS3RED</b>
Transition Fitting BT3 to PB3							<b>BTPB3TF</b>	

\* Indicates 1 1/4" bend radius base and cover fitting.

### Physical Properties


(When tested in accordance with UL 5A)

Impact Resistance	5 ft. lbs.
Crush Resistance	300 lbs.
Temperature Range	-25.6° to 158° F
Flame Rating	UL94V-0
Material	UV Stabilized PVC

### Codes/Standards

EIA/TIA	569A
UL Standard	UL 5A
Listings	E118895 / E119190
CSA Standard	C22.2 no. 62
Certified	LR87514

For more detailed information, go to [www.hubbell-premise.com/Raceway.asp](http://www.hubbell-premise.com/Raceway.asp)



Catalog No.	PremiseTrak®		LANTrak®	WallTrak®		BaseTrak®		Super BaseTrak®
Low-Profile 1-Gang	<b>PT12LPB</b>	<b>PDB12LP</b>	<b>PDB12LP</b>	<b>PW1LPB</b>	<b>PDB12LP</b>			
Standard Profile 1-Gang	<b>PT12SBA</b>	<b>PDB12S</b>	<b>PDB12S</b>	<b>PW1SBA</b>	<b>PDB12S</b>			
Deep Profile 1-Gang	<b>PT12DBA</b>	<b>PDB12D</b>	<b>PDB12D</b>	<b>PW1DBA</b>	<b>PDB12D</b>			
Divided 2-Gang (Multi-service capable)		<b>PDB12TGD</b>	<b>PDB12TGD</b>		<b>PDB12TGD</b>			
Communications only 2-Gang		<b>PDB12TGLV</b>	<b>PDB12TGLV</b>	<b>PDB12TGLV</b>				
2-Gang	<b>PT12TGB</b>			<b>PW1TGB</b>				
Round Lighting Fixture Box	<b>PT12LFB</b>	<b>PDB12LF</b>	<b>PDB12LF</b>	<b>PW1LFB</b>	<b>PDB12LF</b>			
Multi-service Pass-thru Divider Tunnel 1-Gang					<b>PDB1DIV</b>			
Multi-service Pass-thru Divider Tunnel 2-Gang					<b>PDB2DIV</b>			
ISM Surface Housings		<b>ISM 1,2,4,6,&amp;12</b>	<b>ISM 4,6,&amp;12</b>		<b>ISM 4,6,&amp;12</b>			
AMO Multimedia Housing			<b>AMO</b>		<b>AMO</b>			
Inline 1-Gang							<b>PB3IND</b>	
Inline 2-Gang (Multi-service capable)						<b>PB2IND2G</b>	<b>PB3IND2G</b>	
Inline 3-Gang (Multi-service capable)								<b>PS3IND</b>
Full Capacity Raise Inline 1-Gang							<b>PB3FCIB</b>	<b>PS3FCIB</b>
Full Capacity Raise Inline 2-Gang							<b>PB3FCIB2G</b>	<b>PS3FCIB2G</b>
Full Capacity Raise Inline 3-Gang (Multi-service capable)							<b>PB3FCIB3G</b>	<b>PS3FCIB3G</b>
iSTATION™ Module Bezel	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>	<b>KPIMBZOW</b>

### Recommended Plate to Box Compatibility Selection Chart

Non-Metallic Raceway Box Series		PS3 Boxes				PB3 Boxes					PB2 Boxes	PDB12 Boxes			PT12 & PW1 Boxes	
Plate Style	Sample Catalog No.	IND	FCIB	FCIB2G	FCIB3G	IND	IND2G	FCIB	FCIB2G	FCIB3G	IND2G	LP, S, D	TGD	TGLV	LPB, SBA, DBA	TGB
1-Gang KP Series Plate	KP8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
1-Gang KP Series Bezel	KPIMBZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
1-Gang IFP Data Plate	IFP12OW		✓	✓	✓	✓		✓	✓	✓		✓			✓	
1-Gang iSTATION™ IMF Plate Frame	IMF1OW		✓	✓	✓	✓		✓	✓	✓		✓			✓	
2-Gang iSTATION™ IMF Plate Frame	IMF2OW													✓		✓
2-Gang IFP Data Plate	IFP29OW													✓		✓
2-Gang KP Series Plate	KP82															✓

Note: Hubbell Office White plates and devices color match all non-metallic raceway systems.

# Face Plates and Frames

## Metal and Non-Metallic Raceway Fittings

Ivory Metal Raceway uses Almond (AL) Plates and Frames; Non-Metallic Raceway uses Office White (OW or no suffix) Plates and Frames.

### 1-Gang "KP" Plates



Color*	Duplex	Decorator	Single Receptacle (1.41" ID)	Single Receptacle (1.60" ID)	Toggle	Blank	Coax (2)	Jack/Coax	Jacks (2)	Jacks (3)	KP Module Bezel*
Office White	<b>KP8</b>	<b>KP26</b>	<b>KP7</b>	<b>KP720</b>	<b>KP1</b>	<b>KP14</b>	<b>KP212</b>	<b>KP2140</b>	<b>KP2162</b>	<b>KP2163</b>	<b>KPIMBZOW</b>
Almond	<b>KP8AL</b>	<b>KP26AL</b>	<b>KP7AL</b>	<b>KP720AL</b>	<b>KP1AL</b>	<b>KP14AL</b>	<b>KP212AL</b>	<b>KP2140AL</b>	<b>KP2162AL</b>	<b>KP2163AL</b>	<b>KPIMBZAL</b>
Gray	<b>KP8GY</b>	<b>KP26GY</b>	<b>KP7GY</b>	<b>KP720GY</b>	<b>KP1GY</b>	<b>KP14GY</b>	<b>KP212GY</b>	<b>KP2140GY</b>	<b>KP2162GY</b>	<b>KP2163GY</b>	<b>KPIMBZGY</b>

\* Accepts all iSTATION™ Modules located in Section B.

### 2-Gang "KP" Plates (For use with PT12TGB and PW1TGB only)



Color	Duplex, 2-Gang	Decorator, 2-Gang	Toggle, 2-Gang	Blank, 2-Gang
Office White	<b>KP82</b>	<b>KP262</b>	<b>KP2</b>	<b>KP24</b>
Almond	<b>KP82AL</b>	<b>KP262AL</b>	<b>KP2AL</b>	<b>KP24AL</b>
Gray	<b>KP82GY</b>	<b>KP262GY</b>	<b>KP2GY</b>	<b>KP24GY</b>

### iSTATION™ Frames

Front loading plate will accept any modules in three unit combinations. Angled fixtures to be used in bottom opening only. See section B for complete iSTATION™ Module offering.



Color	Plate Frame 1-Gang	Plate Frame 2-Gang
Office White	<b>IMF1OW</b>	<b>IMF2OW</b>
Almond	<b>IMF1AL</b>	<b>IMF2AL</b>
Gray	<b>IMF1GY</b>	<b>IMF2GY</b>

### Keystone "IFP Plates"



Color	1-Gang, 2-Port	1-Gang, 3-Port	1-Gang, 4-Port	1-Gang, 6-Port	2-Gang, 6-Port	2-Gang, 9-Port	2-Gang, 12-Port
Office White	<b>IFP12OW</b>	<b>IFP13OW</b>	<b>IFP14OW</b>	<b>IFP16OW</b>	<b>IFP26OW</b>	<b>IFP29OW</b>	<b>IFP212OW</b>
Almond	<b>IFP12AL</b>	<b>IFP13AL</b>	<b>IFP14AL</b>	<b>IFP16AL</b>	-	-	-
Gray	<b>IFP12GY</b>	<b>IFP13GY</b>	<b>IFP14GY</b>	<b>IFP16GY</b>	-	-	-

### Communication Plates and Frames



Color	Decorator	Decorator Keystone				Duplex	Duplex Keystone	
		2-Port	3-Port	4-Port	6-Port		2-Port	4-Port
Office White	<b>IFP126OW</b>	<b>ISF2OW</b>	<b>ISF3OW</b>	<b>ISF4OW</b>	<b>ISF6OW</b>	<b>IFP18OW</b>	<b>BR106C</b>	<b>Q106O</b>
Almond	<b>IFP126AL</b>	<b>ISF2AL</b>	<b>ISF3AL</b>	<b>ISF4AL</b>	<b>ISF6AL</b>	<b>IFP18AL</b>	<b>BR106AL</b>	<b>Q106AL</b>
Gray	-	<b>ISF2GY</b>	<b>ISF3GY</b>	<b>ISF4GY</b>	<b>ISF6GY</b>	<b>IFP18GY</b>	<b>BR106G</b>	<b>Q106G</b>

### Audio Video Connectors

AV connectors to be used with any plate with a standard keystone opening. Not recommended for use with KP plates. For KP applications, use KPIMBZOW bezel and appropriate iSTATION™ Modules located in section B. Use appropriate iSTATION™ Module for SC fiber adapters. See section B for complete AV offering.



Color	Blank (10 Pack)	F-Connector	ST Fiber Connector	BNC Connector	RCA	Super S-Video	SC Duplex Adapter	SC to ST Duplex Adapter
Office White	<b>SFB10</b>	<b>SFFX</b>	<b>SFST</b>	<b>SFBOW</b>	<b>SFRC110R</b> (Black Housing only)	<b>SFSV110BK</b> (Black Housing only)	<b>FASCMPB6</b>	<b>FASTSCMPB6</b>
Almond	<b>SFBAL10</b>	<b>SFFALX</b>	<b>SFSTAL</b>	<b>SFBAL</b>				
Gray	<b>SFBGY10</b>	<b>SFFGX</b>	<b>SFSTG</b>	<b>SFBGGY</b>				

### XCELERATOR™ Keystone Jacks

Cat. 5e, Office White  
T568A, T568B, RJ45  
**HXJ5EOW**



Cat. 6, Office White  
T568A, T568B, RJ45  
**HXJ6OW**




6 Position USOC,  
Office White, RJ25  
**HXJUOW**



Jack Color Options (Replaces OW Suffix)

AL=Almond	BK=Black	B=Blue	EI=Electric Ivory	GL=Gold	GY=Gray	GN=Green	LA=Light Almond
OW=Office White	OR=Orange	P=Purple	R=Red	TI=Telco Ivory	W=White	Y=Yellow	

### Non-Metallic Raceway Dimensions



Notes: \* Available in PRE-WIRED.  
 Channel Area in Square Inches (square centimeters).  
 Dimensions in Inches (mm).

### Non-Metallic Raceway Wire Fill Capacities

Series	Channel	Channel Area (sq. in.)	Power (THHN/T90 Nylon)			Voice		Data (Copper Cables)				Data (Multimode Fiber Optic Cables)			
			14 AWG	12 AWG	10 AWG	4-Pair	25-Pair	Type RG59U	Cat. 5e	Cat. 6	Cat. 6A	Cat. 6 STP	(2) or (4) Fiber Round Cable	Fiber Optic Jumpers	Fiber Optic Zip Cord
		Wire O.D. (in.):	0.111	0.13	0.164	0.19	0.41	0.242	0.21	0.25	0.35	0.29	0.19	0.118	.12 X .24
		Wire Area (sq. in.):	0.0097	0.0133	0.0211	0.0283	0.1320	0.0460	0.0346	0.0491	0.0962	0.0660	0.0283	0.0109	0.0288
		Wire Fill Capacity	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%	40%
<b>PT1</b>	A	0.29	5	8	5	4	1	3	3	2	1	2	4	11	4
<b>PP1</b>	A	0.38	12	11	8	5	1	3	4	3	2	2	5	14	5
<b>PL1</b>	A	1.03	42	34	22	15	3	9	12	8	4	6	15	38	14
<b>PW1</b>	A	0.30	6	10	4	4	0	2	3	2	1	2	4	11	4
<b>PW2</b>	A+B	1.60	41	36	22	23	5	14	18	13	7	10	23	59	22
<b>A B</b>	A	0.81	12	22	12	11	2	7	9	7	3	5	11	30	11
	B	0.79	12	22	10	11	2	7	9	6	3	5	11	29	11
<b>PB2</b>	A+B	5.72	60	36	45	81	17	50	66	47	24	35	81	210	79
<b>A B</b>	A or B	2.86	42	30	28	40	9	25	33	23	12	17	40	105	40
<b>PB3</b>	A+B+C	5.57	60	36	45	79	17	48	64	45	23	34	79	204	77
<b>A B C</b>	A or C	1.80	42	30	28	25	5	16	21	15	7	11	25	66	25
	B	1.97	42	30	28	28	6	17	23	16	8	12	28	72	27
<b>PS3</b>	A+B+C	10.58	72	66	78	150	32	92	122	86	44	64	150	388	147
<b>A B C</b>	A or C	3.41	42	36	42	48	10	30	39	28	14	21	48	125	47
	B	3.76	42	36	42	53	11	33	43	31	16	23	53	138	52

Note: Pathway (Raceway) fill shall be 40% Maximum. Raceway fittings and outlets/receptacles reduce the cross section of the raceway system, thus reducing overall cable fill capacity.

### FLOORTRAK®


FLOORTRAK® is a non-metallic, flexible, protective cover for cables that run over the floor.

#### Specifications

- ◆ Available in 3 sizes, variety of lengths.
- ◆ Made from flexible PVC.

#### Dimensions

FLOORTRAK®	2	3	4
Width	2.75"	3.0"	3.25"
Height	0.53"	0.75"	1.10"
Center hole	0.6x.31"	0.75x0.5"	1.21x0.75"



Description	Color	Length	Catalog No.
FLOORTRAK® 2	Black	10'	<b>FT2BK10</b>
FLOORTRAK® 3	Black	5'	<b>FT3BK5</b>
	Black	25'	<b>FT3BK25</b>
FLOORTRAK® 4	Black	5'	<b>FT4BK5</b>
	Black	25'	<b>FT4BK25</b>