

4" Square Covers 4" Kare Buat Kapakları



Features

- Includes hardware for mounting receptacles
- Available in various cover designs
- Crushed corners
- 5.5 cu. in.


Applications

- 4" square industrial surface covers allow for a quick installation of electrical devices to steel covers before they are mounted to the box
- Raised 1/2" to protect wires inside the box for switches, receptacles, and outlets


Standard Material

- Galvanized steel


Catalog Number	Description	Raised	Cubic Inches	Ship Case	Weight / Case
EL-472	Flat Blank	-	-	50	31
EL-478	Flat with 1/2" KO	-	-	50	31
EL-480	Flat, One Device	-	-	50	20
EL-504	For One Toggle Switch, One Single Receptacle 113/32" Dia.	1/2"	5.5	50	31
EL-506	For One Toggle Switch, One Duplex Receptacle	1/2"	5.5	50	31
EL-508	For Two Toggle Switches	1/2"	5.5	50	35
EL-510	For Two Duplex Receptacles	1/2"	5.5	50	26
EL-512	For One Toggle Switch	1/2"	5.5	50	35
EL-516	For One Duplex Receptacle	1/2"	5.5	50	31
EL-513	For One GFCI Receptacle	1/2"	5.5	50	31
EL-515	For One Toggle Switch, One GFCI Receptacle	1/2"	5.5	50	31
EL-517	For One Duplex Receptacle, One GFCI Receptacle	1/2"	5.5	50	26




EL-472




EL-478




EL-480




EL-504



EL-506




EL-508




EL-510



EL-512




EL-516



EL-513




EL-515




EL-517

4-11/16" Square Boxes, Welded & Drawn 4-11/16" Square Covers 120x120 mm Kare Buat ve Kapakları




EL-556

Raised ground emboss & 10-32 ground screw
Topraklama Vidalı



EL-558

Raised ground emboss & 10-32 ground screw
Topraklama Vidalı



EL-560

Raised ground emboss & 10-32 ground screw
Topraklama Vidalı



EL-568



EL-572

Features

- Boxes - Welded
- Boxes - 2-1/8" deep
- Boxes - 42 cu. in.
- Available in multiple KO sizes, with or without concentric KOs and raised ground emboss with installed 10-32 ground screw where noted

Applications

- 4-11/16" square welded junction boxes are used in a variety of industrial applications where larger sized conductors or wiring devices are needed and more volume is required
- Can be installed in walls or ceilings for lighting fixtures, switches, receptacles or other outlet devices. 2-1/8" deep boxes offer extra cubic capacity
- 4-11/16" square covers are used to cover 4-11/16" square box wiring and provide a means for access when future conduit runs are required

Standard Material

- Galvanized steel

Catalog Number	Description	Knockouts		Cubic Inches	Ship Case	Weight / Case
		Side	Bottom			
BOXES						
EL-556	2-1/8" deep 1/2" & 3/4" KO with raised ground emboss & 10-32 ground screw drawn	(8) - 1/2" (4) - 3/4"	(3) - 1/2" (2) - 3/4"	42	20	32
EL-558	2-1/8" deep 3/4" & 1" KO with raised ground emboss & 10-32 ground screw welded	(4) - 3/4" (4) - 1"	(3) - 1/2" (2) - 3/4"	42	20	36
EL-560	2-1/8" deep 1/2" & 3/4" Concentric KO with raised ground emboss, & 10-32 ground screw welded	(8) - 1"	(3) - 1/2" (2) - 3/4"	42	20	36
COVERS						
				Depth		
EL-572	1/2" KO flat (1) Hole & (1) Slot	---	(1) - 1/2" KO	Flat	50	31
EL-568	Blank flat (2) Hole & (2) Slot	---	---	Flat	50	31