

## Weatherproof Boxes • Etanj Buatlar

### 1- Gang Boxes Tekli Buatlar

Depth : 2"  
Length : 4 9/16"  
Width : 2 13/16"  
Die Cast Aluminum  
Lugs, Closure Plug Screws Included



Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-FSB50-3	3	1/2"	Gray	18.3
E-L-FSB50-4	4	1/2"	Gray	17.0
E-L-FSB50-5	5	1/2"	Gray	15.8
E-L-FSB50-5X	5	1/2"	Gray	15.8
E-L-FSB75-3	3	3/4"	Gray	18.3
E-L-FSB75-4	4	3/4"	Gray	17.0
E-L-FSB75-5	5	3/4"	Gray	15.8
E-L-FSB75-5X	5	3/4"	Gray	15.8
E-L-FSB100-3	3	1"	Gray	15.8

#### Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-FSB50-3  
E-L-FSB75-3  
E-L-FSB100-3

E-L-FSB50-4  
E-L-FSB75-4

E-L-FSB50-5  
E-L-FSB75-5

E-L-FSB50-5X  
E-L-FSB75-5X

### 1- Gang Deep Boxes Tekli Derin Buatlar

Depth : 2 5/8"  
Length : 4 9/16"  
Width : 2 13/16"  
Die Cast Aluminum  
Lugs, Closure Plug, Screws Included



Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-DB50-3	3	1/2"	Gray	23.8
E-L-DB50-4	4	1/2"	Gray	23.8
E-L-DB50-5	5	1/2"	Gray	23.8
E-L-DB50-5X	5	1/2"	Gray	23.8
E-L-DB75-3	3	3/4"	Gray	23.8
E-L-DB75-4	4	3/4"	Gray	23.8
E-L-DB75-5	5	3/4"	Gray	23.8
E-L-DB75-5X	5	3/4"	Gray	23.8
E-L-DB100-3	3	1"	Gray	23.8
E-L-DB100-5X	5	1"	Gray	23.8

#### Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-DB50-3  
E-L-DB75-3  
E-L-DB100-3

E-L-DB50-4  
E-L-DB75-4

E-L-DB50-5  
E-L-DB75-5

E-L-DB50-5X  
E-L-DB75-5X  
E-L-DB100-5X

## 2- Gang Boxes İkili Buatlar



Depth : 2 3/16"  
Length : 4 9/16"  
Width : 4 9/16"  
Die Cast Aluminum  
Lugs, Closure Plug, Screws Included

### Applications


- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's

Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-TGB50-3	3	1/2"	Gray	30.5
E-L-TGB50-4	4	1/2"	Gray	30.5
E-L-TGB50-5	5	1/2"	Gray	30.5
E-L-TGB50-5X	5	1/2"	Gray	30.5
E-L-TGB50-6X	6	1/2"	Gray	30.5
E-L-TGB50-7	7	1/2"	Gray	30.5
E-L-TGB50-7X	7	1/2"	Gray	30.5
E-L-TGB50-9	9	1/2"	Gray	30.5
E-L-TGB75-3	3	3/4"	Gray	30.5
E-L-TGB75-4	4	3/4"	Gray	30.5
E-L-TGB75-5	5	3/4"	Gray	30.5
E-L-TGB75-5X	5	3/4"	Gray	30.5
E-L-TGB75-6X	6	3/4"	Gray	30.5
E-L-TGB75-7	7	3/4"	Gray	30.5
E-L-TGB75-7X	7	3/4"	Gray	30.5
E-L-TGB75-9	9	3/4"	Gray	30.5
E-L-TGB100-3	3	1"	Gray	30.5
E-L-TGB100-4	4	1"	Gray	30.5
E-L-TGB100-5X	5	1"	Gray	30.5

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-TGB50-3  
E-L-TGB75-3  
E-L-TGB100-3



E-L-TGB50-4  
E-L-TGB75-4  
E-L-TGB100-4



E-L-TGB50-5  
E-L-TGB75-5  
E-L-TGB100-5



E-L-TGB50-5X  
E-L-TGB75-5X  
E-L-TGB100-5X



E-L-TGB50-7  
E-L-TGB75-7  
E-L-TGB100-7



E-L-TGB50-7X  
E-L-TGB75-7X  
E-L-TGB100-7X

## 2- Gang Deep Boxes İkili Derin Buatlar



Depth: 2 5/8"  
Length : 4 9/16"  
Width : 4 9/16"  
Die Cast Aluminum  
Lugs, Closure Plug, Screws Included

### Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's

Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-DBT50-5	5	1/2"	Gray	40.3
E-L-DBT75-5	5	3/4"	Gray	40.3
E-L-DBT100-5	5	1"	Gray	40.3
E-L-DBT50-7X	7	1/2"	Gray	40.3
E-L-DBT75-7X	7	3/4"	Gray	40.3
E-L-DBT100-7X	7	1"	Gray	40.3

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-DBT50-5  
E-L-DBT75-5  
E-L-DBT100-5



E-L-DBT50-7X  
E-L-DBT75-7X  
E-L-DBT100-7X

## 3- Gang Deep Box Üçlü Derin Buat

Depth: 2 5/8"

Length : 6 3/8"

Width : 4 9/16"

Die Cast Aluminum

Lugs, Closure Plug, Screws Included

### Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's



Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-DBF50-7	7	1/2"	Gray	54.0
E-L-DBF75-7	7	3/4"	Gray	54.0
E-L-DBF100-7	7	1"	Gray	54.0

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-DBF50-7  
E-L-DBF75-7  
E-L-DBF100-7

## 4" Round Boxes & Extension Rings 4" Yuvarlak Buat ve Yükselticiler

1 9/16" Deep

Die Cast Aluminum

### Applications

- For use in branch circuit wiring in wet, damp or dry locations
- May be used as a weatherproof junction box or as a housing for receptacles, switches and GFCI's



Catalog Number	Outlet Holes	Hole Size	Color	Cu. Inch
E-L-BRD-4	5	1/2"	Gray	15.8
E-L-RB-7	5	3/4"	Gray	15.8
E-L-EXR50-4	4	1/2"	Gray	16.3
E-L-EXR75-4	4	3/4"	Gray	16.3

\* Also available in bronze and white color. Please consult the factory for more information.



E-L-BRD-4  
E-L-RB-7



E-L-EXR50-4  
E-L-EXR75-4

4" Yuvarlak etanj buatlar hem buat olarak hem de aparat montajında kullanılırlar. Her iki durumda da, siva altı uygulamalarda EXR yükselticiler, buat derinliğinin yeterli olmadığı durumlarda kullanılırlar.

Üçlü buatlar da fazla sayıda kablo çekilen durumlarda nemli yer watı olarak kullanıldığı gibi, aynı zamanda grup anahtar, priz, GFCI montajı için de çözüm getirirler. Sonraki sayfalarda, bu montaj için kapakları da seçebilirsiniz.